


## Impact Pop-up straight 3x2




### General guidelines:

- CMYK
- Convert Pantone colours to CMYK.
- Do not supply RGB images.
- Resolution: 150 dpi at 100% or 300 dpi at 25% of output size.
- All fonts must be converted to outlines.
- acceptable formats: eps, ai, pdf, tiff (with LZW compression)

### Dimensions:

- Finished size: 282,28 x 222,61 cm
- Bleeding:
  - 2 mm sides and top
  - 30 mm bottom

## Zenith Case




### General guidelines:

- CMYK
- Convert Pantone colours to CMYK.
- Do not supply RGB images.
- Resolution: 150 dpi at 100% or 300 dpi at 25% of output size.
- All fonts must be converted to outlines.
- acceptable formats: eps, ai, pdf, tiff (with LZW compression)

### Dimensions:

Finished size: 178,5x89,6 cm

# Impact Pop-up straight 3x3




## General guidelines:

- CMYK
- Convert Pantone colours to CMYK.
- Do not supply RGB images.
- Resolution: 150 dpi at 100% or 300 dpi at 25% of output size.
- All fonts must be converted to outlines.
- acceptable formats: eps, ai, pdf, tiff (with LZW compression)

## Dimensions:

- Finished size: 355,74 x 222,61 cm
- Bleeding:
  - 2 mm sides and top
  - 30 mm bottom

# Impact Pop-up straight 3x4




## General guidelines:

- CMYK
- Convert Pantone colours to CMYK.
- Do not supply RGB images.
- Resolution: 150 dpi at 100% or 300 dpi at 25% of output size.
- All fonts must be converted to outlines.
- acceptable formats: eps, ai, pdf, tiff (with LZW compression)

## Dimensions:

- Finished size: 429,2 x 222,61 cm
- Bleeding:
  - 2 mm sides and top
  - 30 mm bottom

# Impact Pop-up straight 3x5



## General guidelines:

- CMYK
- Convert Pantone colours to CMYK.
- Do not supply RGB images.
- Resolution: 150 dpi at 100% or 300 dpi at 25% of output size.
- All fonts must be converted to outlines.
- acceptable formats: eps, ai, pdf, tiff (with LZW compression)

## Dimensions:

- Finished size : 502,7 x 222,72 cm
- Bleeding:
  - 2 mm sides and top
  - 30 mm bottom